

# UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/760,926	01/16/2001	Takao Abe	09792909-4756	4866
26263 75	90 03/18/2003			
SONNENSCHEIN NATH & ROSENTHAL			EXAMINER	
P.O. BOX 0610 WACKER DRI	• •	CREPEAU, J	ONATHAN	
CHICAGO, IL 60606-1080				
			ART UNIT	PAPER NUMBER
			1746	10
			DATE MAILED: 03/18/2003	,

Please find below and/or attached an Office communication concerning this application or proceeding.

AS	1
<del></del>	•

# Office Action Summary

Application No.		Applicant(s)		
	09/760,926	ABE, TAKAO		
	Examiner	Art Unit		
	Jonathan S. Crepeau	1746		

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address -- Period for Reply

# A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION

<ul> <li>Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.</li> <li>If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.</li> <li>If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.</li> </ul>							
ure to reply within the set or extended period for reply reply received by the Office later than three months	v will, by statute, cause the app	olication to	become ABANDONED (35 U.S.C. § 133).				
ed patent term adjustment. See 37 CFR 1.704(b).							
Responsive to communication(s) fi	iled on <u>13 January 20</u>	<u>03</u> .					
This action is <b>FINAL</b> .	2b) ☐ This action is	non-fi	nal.				
closed in accordance with the prac							
4a) Of the above claim(s) is/a	are withdrawn from co	nsider	ation.				
Claim(s) <u>1,2,4-9,12 and 13</u> is/are al	lowed.						
Claim(s) 3,10,11 and 14-19 is/are re	ejected.						
Claim(s) is/are objected to.							
•	ction and/or election i	equire	ment.				
ion Papers							
The drawing(s) filed on is/are	: a)□ accepted or b)□	object	ed to by the Examiner.				
		-					
		_ ,					
		ffice act	ion.				
The oath or declaration is objected to	o by the Examiner.						
under 35 U.S.C. §§ 119 and 120							
Acknowledgment is made of a claim	n for foreign priority u	nder 35	U.S.C. § 119(a)-(d) or (f).				
☐ All b)☐ Some * c)☐ None of:							
1. ☐ Certified copies of the priority	documents have been	en rece	ived.				
2. Certified copies of the priority	documents have been	en rece	ived in Application No				
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).							
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).							
a) The translation of the foreign language provisional application has been received.							
•	tor domestic priority t	iliuel 3	5 0.5.C. 99 120 and/or 121.				
• •		41 🗆	Interview Summary (PTO-413) Paper No(s)				
ce of Draftsperson's Patent Drawing Review (I		5) 6) 1	Notice of Informal Patent Application (PTO-152) Other:				
	nsions of time may be available under the provisions SIX (6) MONTHS from the mailing date of this comperiod for reply specified above is less than thirty (2) period for reply specified above, the maximum sure to reply within the set or extended period for reply reply received by the Office later than three months and patent term adjustment. See 37 CFR 1.704(b).  Responsive to communication(s) for This action is FINAL.  Since this application is in conditional closed in accordance with the praction of Claims  Claim(s) 1-19 is/are pending in the 4a) Of the above claim(s) is/a Claim(s) 1.2,4-9,12 and 13 is/are all Claim(s) 3,10,11 and 14-19 is/are recommended in the secondary of the specification is objected to colored to the secondary of the proposed drawing correction file of the proposed	nsions of time may be available under the provisions of 37 CFR 1.136(a). In no ex SIX (6) MONTHS from the mailing date of this communication.  It period for reply specified above is less than thirty (30) days, a reply within the stat of period for reply is specified above, the maximum statutory period will apply and were to reply within the set or extended period for reply ill, by statute, cause the appreply received by the Office later than three months after the mailing date of this content of the provision o	nsions of time may be available under the provisions of 37 CFR 1.136(a). In no event, howe SIX (6) MONTHS from the mailing date of this communication. pariod for reply specified above is less than thirty (30) days, a reply within the statutory min by pariod for reply is specified above is less than thirty (30) days, a reply within the statutory min by priod for reply is specified above, the maximum statutory period will apply and will expire to reply within the set or extended period for reply will, by statute, cause the application to reply received by the Office later than three months after the mailing date of this communical additional provided that the provided in the reply will be statuted, as a set of parion to reply will, by statute, cause the application to reply within the set or extended period for reply will, by statute, cause the application to reply will be stated, as a set of parion of the set of				

#### **DETAILED ACTION**

### Response to Amendment

1. This Office action addresses claims 1-19. Claims 1, 2, 4-9, 12, and 13 are allowed, as the translation of priority application 2000-6747 supports these claims. However, claims 3, 10, and 11 remain rejected under 35 USC §103 because the translation does not support these claims. Furthermore, claims 3 and 10 remain rejected, and claim 11 is newly rejected under 35 USC §112, first paragraph, as not being enabled by the specification. Claims 14-19 remain rejected under 35 USC §103 for substantially the reasons of record. Accordingly, this action is made final.

#### **Drawings**

- 2. The proposed drawing correction and/or the proposed substitute sheets of drawings, filed on January 13, 2003 have been approved. A proper drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The correction to the drawings will not be held in abeyance.
- 3. Figures 6-8, and possibly other figures, should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g).
- 4. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference sign(s) not mentioned in the description: 11f. A proposed drawing correction, corrected drawings, or amendment to the specification to add the reference

Application/Control Number: 09/760,926 Page 3

Art Unit: 1746

sign(s) in the description, are required in reply to the Office action to avoid abandonment of the

application. The objection to the drawings will not be held in abeyance.

Specification

5. The disclosure is objected to because of the following informalities: On page 26, second

paragraph, Figure "1A" is referenced, however, Figure 1A does not exist in the application.

Appropriate correction is required.

Claim Objections

6. Claim 19 is objected to under 37 CFR 1.75(c), as being of improper dependent form for

failing to further limit the subject matter of a previous claim. Applicant is required to cancel the

claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the

claim(s) in independent form. Claim 19 is identical to the claim it directly depends from.

Therefore, claim 19 fails to further limit the parent claim.

7. Claims 5 and 19 are objected to because of the following informalities: in claim 5, line 2,

"welded" should be "is welded"; in claim 19, last clause, "winded" should be "wound."

Appropriate correction is required.

Art Unit: 1746

# Claim Rejections - 35 USC § 112

8. Claims 3, 10, and 11 are rejected under 35 U.S.C. 112, first paragraph, because the specification, while being enabling for a projecting portion connected to a lead through a hole in the disk, does not reasonably provide enablement for a projecting portion connected to a lead through a "small-thickness portion" of the disk. The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the invention commensurate in scope with these claims. The claimed disk is best shown in Figs. 5A-D of the application as reference character 11. There does not appear to be any indication in these figures or in the rest of the specification that the projecting portion (6a) is connected to a lead through a "small thickness portion" of the disk 11. The projecting portion is, however, clearly connected through the hole (11c) in the disk. Correction and/or clarification is required.

# Claim Rejections - 35 USC § 103

9. Claims 3, 10 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over JP 2000-21380 in view of JP 10-284035.

JP 2000-21380 is directed to nonaqueous lithium secondary batteries (see paragraph [0001] of the machine translation). As shown in Figure 11, a safety valve (RP) is arranged on one end side of a cylindrical outer packaging can (1) holding an electrode element therein. The safety valve comprises a projecting portion (532) that projects toward the electrode element and is connected to a lead of the element (32) at the center of the safety valve. As shown in Figures 8 and 10, the safety valve comprises a plurality of linear thin portions (R5) that are formed almost

Application/Control Number: 09/760,926

Art Unit: 1746

along circumferences of concentric circles surrounding the projection. Additional thin portions (R4) extend in the radial direction and connect adjacent ends of the circumferential thin portions. The lengths of the circumferential thin portions are almost equal to each other. The valve is welded on a sub-disk (9) on a free end of the positive electrode lead (32) (see paragraph [0029]). Regarding claim 3, the reference further teaches the presence of a disk (11) comprising a central hole between the safety valve (RP) and the sub-disk (9).

JP 2000-21380 does not expressly teach that the electrode element is a spirally-wound laminate (claim 11) or that the battery comprises electrode materials which dope and undope lithium (e.g., that it is a lithium-ion battery) (claim 10). The reference further does not expressly teach that the disk 11 has a linear thin portion (claim 3).

JP 10-284035 is directed to an explosion-proof mechanism for a sealed battery. In Figure 1, it teaches an upper safety valve (17) having a thin portion welded to a lower disk (18) also having a thin portion (29).

Therefore, the invention as a whole would have been obvious to one of ordinary skill in the art at the time the invention was made because the artisan would be motivated by the disclosure of JP '035 to use a thin portion in the disk of JP '380. In paragraph [0010], JP '035 teaches that "reliable current interception function" can be obtained using this configuration. Accordingly, the artisan would be motivated to use a rupturable thin portion in the disk of JP '380.

Additionally, the artisan would be motivated to use such a spiral laminate as the electrode element of the Japanese reference. As noted above, the reference teaches a cylindrical battery body in Figure 11. The artisan would therefore be motivated to use a spiral laminate because this

Application/Control Number: 09/760,926

Art Unit: 1746

structure is commonly used in cylindrical lithium batteries and is known to result in a high energy density. Furthermore, the artisan would be motivated to use electrode materials that dope and undope lithium so as to result in a lithium-ion battery, because these materials are known to have higher cycle life and increased safety compared with electrode materials that do not intercalate lithium (e.g., lithium metal). Accordingly, this limitation is also not considered to distinguish over the reference.

10. Claims 14-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Taki et al (U.S. Patent 5,418,082) in view of JP 10-284035.

Regarding claims 17 and 19, Taki et al. is directed to nonaqueous lithium secondary batteries having spirally-wound electrode laminates (see col. 1, lines 10 and 46). Regarding claim 14, as shown in Figure 6, a safety valve (5) is arranged on one end side of the cylindrical outer packaging can (2) holding the electrode element therein. The safety valve comprises a projecting portion (9) that projects toward the electrode element and is connected to a lead (7) of the element at the center of the safety valve. A disk (23) having a central hole (21) is positioned between the safety valve and the electrode element, and the projecting portion is connected to the lead of the electrode element through the central hole. The disk further comprises a plurality of holes (22) on its outer periphery.

The reference does not expressly teach that the disk has a linear thin portion formed in a circular shape surrounding the hole (claims 14 and 15). The reference further does not teach that

the battery comprises electrode materials which dope and undope lithium (e.g., that it is a lithium-ion battery) (claims 16 and 18).

As noted above, JP 10-284035 is directed to an explosion-proof mechanism for a sealed battery. In Figure 1, it teaches an upper safety valve (17) welded to a lower disk (18) having a circular thin portion (29).

Therefore, the invention as a whole would have been obvious to one of ordinary skill in the art at the time the invention was made because the artisan would be motivated by the disclosure of JP '035 to use a thin portion in the disk of Taki et al. In paragraph [0010], JP '035 teaches that "reliable current interception function" can be obtained using this configuration.

Accordingly, the artisan would be motivated to use a rupturable thin portion in the disk of Taki et al.

Furthermore, the artisan would be motivated to use electrode materials that dope and undope lithium so as to result in a lithium-ion battery, because these materials are known to have higher cycle life and increased safety compared with electrode materials that do not intercalate lithium (e.g., lithium metal). It is noted that the Taki reference teaches a "carbon lithium battery" in column 1, line 11, which is indicative of a carbonaceous lithium intercalation negative electrode. Accordingly, the recitation of intercalation electrodes in claims 16 and 18 is also not considered to distinguish over the references.

#### Response to Arguments

11. Applicant's arguments filed January 13, 2003 have been fully considered but they are not persuasive.

Application/Control Number: 09/760,926

Art Unit: 1746

With regard to the §112, first paragraph rejection of claims 3 and 10, Applicants state that "the specification has been amended to clarify claims 3 and 10. (Page 20-22, lines 25-5)."

However, this portion of the specification, even in light of the amendments, still does not appear to adequately enable an artisan to make and use the subject matter recited in claim 3. It is still unclear how the projecting portion (6a) is connected to a lead (4) "through" a small thickness portion (11e) of the disk (11). This is in contrast to claim 4, which recites that the projecting portion is connected through a central hole (11c) in the disk. Further clarification or other appropriate action with respect to claim 3 is respectfully requested.

Regarding the §103 rejection of claims 3, 4, 10, and 12, Applicant urges that the JP 2000-21380 reference does not qualify as prior art against these claims. However, it is believed that the reference still qualifies as prior art against claim 3 and its dependent claims, because the subject matter of claim 3 is not adequately supported by the translated priority document (2000-6747). There does not appear to be any disclosure or suggestion within the priority document that the projecting portion is "connected to the lead of the electrode element through the small-thickness portion of the disk," as recited in claim 3. Applicants further assert that JP 2000-21380 "neither discloses or suggests a safety valve having two different dimension circles which a plurality of linear thin portions are formed." However, it is submitted that Figure 8 of JP '380 clearly teaches this feature.

With regard to the §103 rejection of claims 14-19, Applicants assert that the Taki reference "fails to disclose or suggest that a disk has a linear portion formed in a circular shape surrounding the hole," and further assert that JP '035 "only discloses a safety valve welded to a lower disk having a circular thin portion." However, these it is believed that these assertions

Art Unit: 1746

amount to a piecemeal analysis of the references. Applicants have simply restated the acknowledged deficiencies of each reference without addressing the motivation to combine the references. As the Examiner has stated such motivation above, the combination of the references is believed to be proper and the rejection is maintained.

### Allowable Subject Matter

- 12. Claims 1, 2, 4-9, 12, and 13 are allowed.
- 13. The following is an examiner's statement of reasons for allowance:

JP 2000-21380 is the closest prior art to the instant claims; however, Applicant's submission of a translation of priority document 2000-6747 is sufficient to remove the reference as prior art against these claims. Accordingly, claims 1, 2, 4-9, 12, and 13 are allowable.

#### Conclusion

14. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period

will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jonathan Crepeau whose telephone number is (703) 305-0051. The examiner can normally be reached Monday-Friday from 9:30 AM - 6:00 PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Randy Gulakowski, can be reached at (703) 308-4333. The phone number for the organization where this application or proceeding is assigned is (703) 305-5900. Additionally, documents may be faxed to (703) 305-5408 or (703) 305-5433.

Any inquiry of general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0661.

**JSC** 

March 12, 2003

RANDY GULAKOWSKI SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1700